

Certificate of Analysis

Submission Reference: PB180C 2602036 HealWithin Calm 90's
Final Report



Report Issued: 25-Feb-2026

AsureQuality Reference: 26-46800

Sample(s) Received: 18-Feb-2026 09:00

Testing Period: 18-Feb-2026 to 25-Feb-2026

Date of analysis is available on request.

Sampled By: Mike

Results

The tests were performed on the samples as received.

Customer Sample Name: Sample 1 Lab ID: 26-46800-1

Sample Description: PB180C 2602036 HealWithin Calm 90's

Sample Condition: Acceptable

Test	Result	Unit	Method Reference
<i>Salmonella</i>	Not Detected	/10 g	BP/EP, USP Harmonised Method, however sample interference has not been evaluated
Total Aerobic Microbial Count	<10	cfu/g	BP/EP, USP Harmonised Method, however sample interference has not been evaluated
<i>Escherichia coli</i>	Not Detected	/g	BP/EP, USP Harmonised Method, however sample interference has not been evaluated
Total Yeast and Mould Count	10	cfu/g	BP/EP, USP Harmonised Method, however sample interference has not been evaluated
Arsenic	0.12	mg/kg	AsureQuality Method (ICP-MS)
Cadmium	0.04	mg/kg	AsureQuality Method (ICP-MS)
Mercury	<0.01	mg/kg	AsureQuality Method (ICP-MS)
Lead	0.10	mg/kg	AsureQuality Method (ICP-MS)

The result reported is from the analysis of the fill ingredient only.

Analysis Summary


Auckland Laboratory

Analysis	Method	Accreditation	Authorised by
<i>Salmonella</i> PA-SALM03, 01-10G	BP/EP, USP Harmonised Method, however sample interference has not been evaluated	IANZ	Yuki Takahashi
Total Aerobic Microbial Count PM-APC-05, 01-UNVAL_POURPLATE	BP/EP, USP Harmonised Method, however sample interference has not been evaluated	IANZ	Rafael Jakeman
<i>Escherichia coli</i> PM-ECOL03, 01-UNVAL_1G	BP/EP, USP Harmonised Method, however sample interference has not been evaluated	IANZ	Monica Yang

AsureQuality Ltd has used reasonable skill, care, and effort to provide an accurate analysis of the sample(s) which form(s) the subject of this report. However, the accuracy of this analysis is reliant on, and subject to, the sample(s) provided by you and your responsibility as to transportation of the sample(s). AsureQuality Ltd's standard terms of business apply to the analysis set out in this report: <https://www.asurequality.com/about/terms-of-business/>

Analysis	Method	Accreditation	Authorised by
Total Yeast and Mould Count PM-YMLD01, 01-POURPLATE_CFU_G	BP/EP, USP Harmonised Method, however sample interference has not been evaluated	IANZ	Ramya shobha
Trace Elements test using ICP-MS TR-MSA-01, 02-ASSAY	AsureQuality Method (ICP-MS)	IANZ	Hayden Noe

Results that are prefixed with '<' indicate the lowest level at which the analyte can be reported, and that in this case the analyte was not observed above this limit.




Monica Yang
Analyst



Hayden Noe
Scientific Analyst



Rafael Jakeman
Analyst



Ramya shobha
Analyst



Yuki Takahashi
Scientific Analyst

Accreditation

